

## Re: Sshd fix

**Source:** <http://www.derkeiler.com/Mailing-Lists/FreeBSD-Security/2002-07/10564.html>

---

**From:** Peter C. Lai ([sirmoo@cowbert.2y.net](mailto:sirmoo@cowbert.2y.net))

**Date:** 07/01/02

Date: Mon, 1 Jul 2002 09:50:22 -0400  
From: "Peter C. Lai" <[sirmoo@cowbert.2y.net](mailto:sirmoo@cowbert.2y.net)>  
To: "Jack L. Stone" <[jackstone@sage-one.net](mailto:jackstone@sage-one.net)>

On Sat, Jun 29, 2002 at 07:25:08PM -0500, Jack L. Stone wrote:

> At 07:47 PM 6.29.2002 -0500, Scott Robbins wrote:  
> > On Sat, Jun 29, 2002 at 05:35:50PM -0500, Jack L. Stone wrote:  
> > > At 07:07 PM 6.28.2002 -0600, FreeBSD user wrote:  
> > > > `cd /usr/ports/security/openssh-portable && make -DOPENSSSH_OVERWRITE_BASE`  
> > > `install distclean`  
> > > >  
> > > *I just ran this on a test box and the sshd version shows no change... I saw*  
> > > *it compile and install, but #sshd -V gives old version #...*  
> > >  
> > > *What did I do wrong here...??*  
> > >  
> > > *BTW after the other Scott's post, I tried it his way--leaving out*  
> > > *sshd\_enable and sshd\_program. Worked quite well--also, one reason I*  
> > > *haven't done the overwrite option--as Jonathan said, won't that get*  
> > > *clobbered next time you do make world?*  
> > >  
> > > *Interestingly enough, pkg-message suggests doing this--leaving*  
> > > *sshd\_enable at YES, adding sshd\_program and then editing the path, (I*  
> > > *assume root's) so that /usr/local/sbin comes before /usr/sbin.*  
> > > *However, I've found the lazy man's way, which seems to be efficient as*  
> > > *well, to be a combination of Jonathan's and the other Scott's.*  
> > >  
> > > *I realize this is not exactly what Jack is asking, but I'm wondering*  
> > > *too--if one does the OVERWRITE, won't it get clobbered upon the next*  
> > > *make world?*  
> > >  
> > > *Thanks*  
> > > *Scott Robbins*  
> > >  
> > > *This is what worries me too. I deinstalled the ssh port right afterwards,*  
> > > *but I'm wondering what else is changed. I noticed it updated the*  
> > > *openssl-0.9.6a to 0.9.6d that I didn't expect. The /var/db/pkg shows that*  
> > > *"d" version installed.*  
> > >  
> > > *I'm running SSL on that machine and it still says 0.9.6.a when I load*

FreeBSD–Security: Re: Sshd fix

> *Apache\_modssl and OpenSSH, etc. But, NOW, I'm really worried that I shot  
> myself in the foot and this is waiting to bite me later.*

ssl for apache (both apache13–modssl and apache13–ssl) statically  
links openssl. If you want to upgrade your modssl to use  
the new openssl, you should recompile and reinstall it.

>  
> *If anyone knows the answer to what Scott said about the next make world  
> clobbering things, please let me know....*  
>  
> *Best regards,*  
> *Jack L. Stone,*  
> *Administrator*  
>  
> *SageOne Net*  
> <http://www.sage-one.net>  
> [jackstone@sage-one.net](mailto:jackstone@sage-one.net)  
>  
> *To Unsubscribe: send mail to [majordomo@FreeBSD.org](mailto:majordomo@FreeBSD.org)  
> with "unsubscribe freebsd–security" in the body of the message*

--  
Peter C. Lai  
University of Connecticut  
Dept. of Molecular and Cell Biology | Undergraduate Research Assistant  
<http://cowbert.2y.net/>  
To Unsubscribe: send mail to [majordomo@FreeBSD.org](mailto:majordomo@FreeBSD.org)  
with "unsubscribe freebsd–security" in the body of the message