

# Re: [Freebsd-security] Re: Multi-User Security

**Source:** <http://www.derkeiler.com/Mailing-Lists/FreeBSD-Security/2004-06/0042.html>

---

**From:** Remko Lodder ([remko\\_at\\_elvandar.org](mailto:remko_at_elvandar.org))

**Date:** 06/14/04

Date: Mon, 14 Jun 2004 17:16:53 +0200

To: Bruce M Simpson <[bms@spc.org](mailto:bms@spc.org)>

Bruce M Simpson wrote:

> *On Wed, Jun 09, 2004 at 07:52:23AM -0700, Crist J. Clark wrote:*  
>  
>> *To do scp-only, you either need (a) a hacked up sshd(8) daemon, (b) a*  
>> *jailed environment, or (c) a special shell for the user that only allows*  
>> *scp(1) to run. The funny thing is, I think (c) is probably the easiest*  
>> *to implement on a mass scale, but seems to be the option most seldom*  
>> *considered.*  
>  
>  
> *ports/shells/scponly*  
>  
> *BMS*

Bruce,

Indeed that is what i said as well :-)

Cheers!

--

Kind regards,

Remko Lodder | [remko@elvandar.org](mailto:remko@elvandar.org)

Reporter DSINet | [remko@dsinet.org](mailto:remko@dsinet.org)

Projectleader Mostly-Harmless | [remko@mostly-harmless.nl](mailto:remko@mostly-harmless.nl)

---

[freebsd-security@freebsd.org](mailto:freebsd-security@freebsd.org) mailing list

<http://lists.freebsd.org/mailman/listinfo/freebsd-security>

To unsubscribe, send any mail to "[freebsd-security-unsubscribe@freebsd.org](mailto:freebsd-security-unsubscribe@freebsd.org)"