

sftp connection closed

Source: http://www.derkeiler.com/Mailing-Lists/securityfocus/Secure_Shell/2003-05/0035.html

From: Simon Szeto (*siszeto_at_yahoo.com.hk*)

Date: 05/06/03

Date: Tue, 6 May 2003 17:07:37 +0800 (CST)

To: seureshell@securityfocus.com

Before I was use openssh 3.4.1 on the Solaris 8 platform. Afterwards I upgrade the ssh to 3.6.1 its download from sunfreeware package. The ssh feature is work fine but sftp doesn't work normally. The sftp can let you to type password for login. However, the error will be shown "Request for subsystem 'sftp' failed on channel 0 Connection closed".

I've clarified the sshd_config file, "Subsystem sftp /usr/local/libexec/sftp-server" is enable and the path is correct.

I don't know what is the problem even though I fallback the version to 3.4.1. The following is the sshd_config file:

```
Port 22
Protocol 2
#ListenAddress 0.0.0.0
#ListenAddress ::

# HostKey for protocol version 1
HostKey /usr/local/etc/ssh_host_key
# HostKeys for protocol version 2
HostKey /usr/local/etc/ssh_host_rsa_key
HostKey /usr/local/etc/ssh_host_dsa_key

# Lifetime and size of ephemeral version 1 server key
#KeyRegenerationInterval 3600
#ServerKeyBits 768

# Logging
#obsoletes QuietMode and FascistLogging
```

sftp connection closed

SecurityFocus Secure Shell: sftp connection closed

SyslogFacility AUTH
LogLevel INFO

Authentication:

LoginGraceTime 120
PermitRootLogin no
#StrictModes yes

RSAAuthentication yes
#PubkeyAuthentication yes
AuthorizedKeysFile .ssh/authorized_keys

rhosts authentication should not be used
#RhostsAuthentication no
Don't read the user's ~/.rhosts and ~/.shosts files
#IgnoreRhosts yes
For this to work you will also need host keys in
/usr/local/etc/ssh_known_host
s
#RhostsRSAAuthentication no
similar for protocol version 2
#HostbasedAuthentication no
Change to yes if you don't trust ~/.ssh/known_hosts
for
RhostsRSAAuthentication and HostbasedAuthentication
#IgnoreUserKnownHosts no

To disable tunneled clear text passwords, change to
no here!
#PasswordAuthentication yes
PermitEmptyPasswords no

Change to no to disable s/key passwords
#ChallengeResponseAuthentication yes

Kerberos options
#KerberosAuthentication no
#KerberosOrLocalPasswd yes
#KerberosTicketCleanup yes

#AFSTokenPassing no

Kerberos TGT Passing only works with the AFS
kaserver
#KerberosTgtPassing no

Set this to 'yes' to enable PAM keyboard-interactive
authentication
Warning: enabling this may bypass the setting of
'PasswordAuthentication'

sftp connection closed

#PAMAuthenticationViaKbdInt no

#X11Forwarding no

#X11DisplayOffset 10

#X11UseLocalhost yes

#PrintMotd yes

#PrintLastLog yes

#KeepAlive yes

#UseLogin no

#UsePrivilegeSeparation yes

#PermitUserEnvironment no

#Compression yes

#MaxStartups 10

no default banner path

#Banner /some/path

#VerifyReverseMapping no

override default of no subsystems

Subsystem sftp /usr/local/libexec/sftp-server

Can you let me know the problem?

2Ä¤G¥@(ÁÂ¾¼^¾¼W);A²B°D¥çÂÊ(@e⁻ª·à);A¥S©f(³⁻«³·³)...

Yahoo! ¹aÁn¤U,ü

<http://ringtone.yahoo.com.hk>