

Re: Switching audit files under Solaris 8 via cron

Source: <http://www.derkeiler.com/Mailing-Lists/securityfocus/focus-sun/2002-05/0008.html>

From: Robin Stevens (robin.stevens@computing-services.oxford.ac.uk)

Date: 05/01/02

Date: Wed, 1 May 2002 18:23:32 +0100

From: Robin Stevens <robin.stevens@computing-services.oxford.ac.uk>

To: Warren Belfer <belfer@gullwing.eng.sun.com>

On Wed, May 01, 2002 at 09:35:20AM -0700, Warren Belfer wrote:

> *For some reason, I did not see the beginning of this thread, but*
> *based on what I see here:*

My apologies – following up to old posts...

> *I believe that you make this work by changing the sshd_config line from*
>
> *UseLogin No*
> *to*
> *UseLogin Yes*

This would no doubt work fine were it an option in the commercial ssh – as far as I can tell there's no way to include this.

On the system in question, I'd prefer to run without auditing rather than run the risk of accidentally disabling vital cron jobs, but it seems I've not yet successfully disabled it to the point at which cron is again operational – evidently I'm missing a vital step somewhere...

--

----- Robin Stevens <robin.stevens@oucs.ox.ac.uk> -----
Oxford University Computing Services ----- Web: <http://www.cynic.org.uk/>
----- (+44)(0)1865: 273212 (work) 273275 (fax) Mobile: 07776 235326 -----

- **Previous message:** [Doug Hughes: "Re: User Time Restrictions on Solaris 8"](#)
- **In reply to:** [Warren Belfer: "Re: Switching audit files under Solaris 8 via cron"](#)
- **Next in thread:** [Daniel Bergman: "Re: Switching audit files under Solaris 8 via cron"](#)
- **Messages sorted by:** [\[date \]](#) [\[thread \]](#) [\[subject \]](#) [\[author \]](#) [\[attachment \]](#)