

# breaking out of chroot jail

**Source:** <http://www.derkeiler.com/Mailing-Lists/securityfocus/pen-test/2001-07/0013.html>

---

**From:** Pacifier ([evablunted@freemail.absa.co.za](mailto:evablunted@freemail.absa.co.za))

**Date:** 07/19/01

Date: Thu, 19 Jul 2001 19:37:01 +0200  
From: Pacifier <[evablunted@freemail.absa.co.za](mailto:evablunted@freemail.absa.co.za)>  
Subject: breaking out of chroot jail  
To: "Penetration Testing (E-mail)" <[PEN-TEST@securityfocus.com](mailto:PEN-TEST@securityfocus.com)>  
Message-id: <002001c110a0\$88edeb70\$0100007f@explicit.za.net>

Are there any documented ways of breaking out of chroot jails in RedHat Linux 7.0?

We have 5 users chrooted on their ssh based shell access.

I am also trying to find ways of breaking out of chroot jails for users such as bind, wuftp and others...

Thanks

Pacifier  
Network Admin  
CISSP wannabe

---

This list is provided by the SecurityFocus Security Intelligence Alert (SIA) Service. For more information on SecurityFocus' SIA service which automatically alerts you to the latest security vulnerabilities please see: <https://alerts.securityfocus.com/>

---

- **Previous message:** [Fernando Cardoso: "Virtual Vault"](#)
- **Next in thread:** [Don Tansey: "Re: breaking out of chroot jail"](#)
- **Reply:** [Don Tansey: "Re: breaking out of chroot jail"](#)
- **Messages sorted by:** [\[ date \]](#) [\[ thread \]](#) [\[ subject \]](#) [\[ author \]](#) [\[ attachment \]](#)