

Re: no publickey auth with OpenSSH_3.7.1p2 and HPUX11i

Source: <http://www.derkeiler.com/Newsgroups/comp.security.ssh/2003-10/0308.html>

From: Wolfram Greinert (wolfram_at_rz.uni-leipzig.de)

Date: 10/23/03

Date: 23 Oct 2003 22:12:51 +0200

Robin Johnson <karjalainen@lineone.net> writes:

>On 2003-10-23, Wolfram Greinert <wolfram@rz.uni-leipzig.de> wrote:

>>

>> Hello,

>>

>> We have a problem with OpenSSH and HP-UX 11i. With OpenSSH_3.6.1p1 we can

>> use the publickeys (~/.ssh/id_rsa). With the same .ssh-dir and config-files

>> in /etc/openssh OpenSSH_3.7.1p2 will not use the publickeys and prompt

>> for password :-(We have try this with OpenSSL 0.9.7b and OpenSSL 0.9.7c !

>> Why OpenSSH_3.7.1p2 not use my publickey-files ????????

>add

>EnableSSHKeysign yes

>to your ssh_config

I do it but no success :-(, the same debug messages and password-query.

What do ssh-keysign with publickeys in ~/.ssh/id_rsa ??

Wolfram

>Robi

--

Wolfram Greinert #
email: greinert@rz.uni-leipzig.de