

## Re: Failure to set credentials

**Source:**

<http://www.derkeiler.com/Newsgroups/microsoft.public.dotnet.framework.aspnet.security/2005-07/0272.html>

---

**From:** Steven Cheng[MSFT] (*stcheng\_at\_online.microsoft.com*)

**Date:** 07/26/05

Date: Tue, 26 Jul 2005 02:22:53 GMT

Hi Philip,

Yes, for your scenario, if you need to make such configuration more simple for deployment, currently the recommend means is to make a script or bat file which call the caspol.exe tool to create the codegroup on the machine (instead of interactively in the configuration tool).

#Adding Code Groups

<http://msdn.microsoft.com/library/en-us/cpguide/html/cpconaddingcodegrouptocodegrouphierarchy.asp?frame=true>

Thanks,

Steven Cheng  
Microsoft Online Support

Get Secure! [www.microsoft.com/security](http://www.microsoft.com/security)  
(This posting is provided "AS IS", with no warranties, and confers no rights.)

---

| From: "Philip Colmer" <pcolmer@newsgroup.nospam>  
| References: <uz9jXbTjFHA.3540@TK2MSFTNGP14.phx.gbl>  
<pzvMP5ZjFHA.588@TK2MSFTNGXA01.phx.gbl>  
<#EJZT\$cjFHA.1948@TK2MSFTNGP12.phx.gbl>  
<2RXhBdmjFHA.3472@TK2MSFTNGXA01.phx.gbl>  
<#4P#CmrjFHA.3580@TK2MSFTNGP09.phx.gbl>  
<7DqPJ7LkFHA.940@TK2MSFTNGXA01.phx.gbl>  
| Subject: Re: Failure to set credentials  
| Date: Mon, 25 Jul 2005 13:42:11 +0100  
| Lines: 57  
| X-Priority: 3  
| X-MSMail-Priority: Normal  
| X-Newsreader: Microsoft Outlook Express 6.00.2900.2527  
| X-RFC2646: Format=Flowed; Original  
| X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2527  
| Message-ID: <OGqcIZRkFHA.3452@TK2MSFTNGP10.phx.gbl>

microsoft.public.dotnet.framework.aspnet.security: Re: Failure to set credentials

| Newsgroups: microsoft.public.dotnet.framework.aspnet.security  
| NNTP-Posting-Host: host-news.chadwyck.co.uk 195.22.151.243  
| Path: TK2MSFTNGXA01.phx.gbl!TK2MSFTNGP08.phx.gbl!TK2MSFTNGP10.phx.gbl  
| Xref: TK2MSFTNGXA01.phx.gbl

microsoft.public.dotnet.framework.aspnet.security:6096

| X-Tomcat-NG: microsoft.public.dotnet.framework.aspnet.security

|  
| "Steven Cheng[MSFT]" <stcheng@online.microsoft.com> wrote in message  
| news:7DqPJ7LkFHA.940@TK2MSFTNGXA01.phx.gbl...

|> Hi Philip,

|>

|> Well, now we can confirm this to the .net CAS problem. Currently what we  
|> should do is to add a certain codegroup in the .NET's CAS configuration  
|> for

|> the managed components(assemblies) loaded from your sharepoint form  
|> library.

|>

|> Based on my understanding, we ought to add a custom codegroup(for the  
|> form

|> components loaded from form library) under the LOCAL Intranet zone. You  
|> can

|> verify this by using the "Adjust Zone Security" function when selecting  
|> the

|> "Runtime Security Policy" node in the left view. (Adjust the trust  
|> level

|> to

|> FullControl for Local Intranet zone).

|>

|> If the above test can make the info path form (from form library) work,  
|> then rollback the above change and try adding a new custom codegroup  
|> under

|> the All\_Code-->LocalIntranet\_Zone group. When creating the codegroup,  
|> choose "URL" as the condition type and type your sharepoint FormLibrary  
|> site's url, something like:

|>

|> "<http://sharepointserver/>\*"

|>

|> and grant this codegroup FullTrust permissions.

|>

|> After that, please close IE and relaunch it and test the infopath from  
|> from

|> formlibrary to see whether it works.

|>

|> #Configuring Code Groups Using the .NET Framework Configuration Tool

|>

|> <http://msdn.microsoft.com/library/en-us/cpguide/html/cpconusingnetconfigurat>

|> iontooltoworkwithcodegroups.asp?frame=true

|>

|>

|> In addition, all the configuration I mentioned above (through the .NET

| > configuration tool GUI) can also be done trough the caspol.exe command  
| > line  
| > tool:  
| >  
| > #caspol.exe Adding Code Groups  
| >  
| <http://msdn.microsoft.com/library/en-us/cpguide/html/cpconaddingcodegrouptocodegroupshierarchy.asp?frame=true>  
| > odegrouphierarchy.asp?frame=true  
|  
| Steven  
|  
| Thank you for that. I've now got this working on my PC. What would be  
| your  
| recommendation for the best/easiest method of deploying this to all of  
| the  
| computers? I cannot find a Group Policy setting for CAS – is there one or  
| do  
| I need to write a logon script that uses caspol?  
|  
| --Philip  
|  
|  
|