

Re: Why is this method requesting these permissions?

dominick

Hi;

My understanding is if I do Required then anything I don't list is not granted – so I then have to also do Optional for anything that is optional – correct? My worry there is that I will then miss an optional that is needed only in rare cases.

Or am I not understanding this correctly?

Cubicle Wars – <http://www.windwardreports.com/film.htm>

"Dominick Baier" wrote:

well – i am not sarcastic...

so why don't you grant the specific permissions until it works? I think i made a comment on another post saying that SocketPermission is not included in e.g. medium trust – DNS IIRC is included.

I personally wouldn't fiddle around with RequestMinimum or Optional – just document which permissions are needed – which you can figure out by trial and error (at least that's how I usually approach that problem).

In my book I have a separate chapter on partial trust – maybe that's helpful for you.

<http://www.microsoft.com/mspress/books/9989.asp>

dominick

Are you being sarcastic or serious about permcalc????

The problem we face is that

Re: Why is this method requesting these permissions?

we have a potential customer who needs to use our library in a partially trusted environment. AFAIK our code does not need to touch anything outside it's own code except for the DNS and UDP capability and we are reducing that to what we truly need.

But our code can, depending on how it is called, need to access lots of things from the file system to the registry to ...

So I'm trying to figure out what we need to do so this guy can use our library.

Cubicle Wars –
<http://www.windwardreports.com/film.htm>

"Dominick Baier" wrote:

now you
know how
good
permcac
really
works....

by reading
all your
posts
recently on
CAS – i
wonder
what you
are
really trying
to do...

dominick

Re: Why is this method requesting these permissions?