

Re: Execute permission denied

Source: <http://www.derkeiler.com/Newsgroups/microsoft.public.sqlserver.security/2004-09/0119.html>

From: Dan Guzman (guzmanda_at_nospam-online.sbcglobal.net)

Date: 09/12/04

Date: Sun, 12 Sep 2004 10:16:13 -0500

To add to Hari's response, note that your connection string has conflicting security credentials; both standard security (User ID and Password) and Windows authentication (Trusted_Connection=Yes) are specified. To connect with SQL authentication using the WebUser login, ensure your SQL Server is configured to allow both Windows and SQL authentication and remove Trusted_Connection from the connection string.

--

Hope this helps.

Dan Guzman

SQL Server MVP

"Jon" <jsb@watersteward.com> wrote in message
news:1aa501c48c8f\$7c4a42b0\$a501280a@phx.gbl...

>I am accessing an s2k database from a web app using .net.

> My server died and I had to reinstall s2k and now I am

> getting "Execute permission denied" on my stored

> procedures. The web app has not changed so I infer that

> something's wrong with the setup on the database. The

> connection string is as follows:

>

> "Password=xxxx;Persist Security Info=True;User

> ID=WebUser;Initial Catalog=ScottWeb;Data

> Source=SRV;Trusted_Connection=Yes"

>

> WebUser exists and has owner permission on the db.

>

> Thanks for any help.