

Re: Help with user accounts

Source: <http://www.derkeiler.com/Newsgroups/microsoft.public.sqlserver.security/2004-11/0037.html>

From: John Harbison (*JohnH_at_desertmicro.net*)

Date: 11/03/04

Date: Wed, 3 Nov 2004 13:05:43 -0500

To add more clarification:

Lets assume I have the following tables:

CUSTOMER:

ID CUSTOMER_NAME COMPANY

1 Customer 1 1
2 Customer 2 1
3 Customer 3 1
4 Customer 4 2
5 Customer 5 2
6 Customer 6 2
7 Customer 7 1
8 Customer 8 2
9 Customer 9 2
10 Customer 10 2

USERS:

ID USER_NAME

1 User 1
2 User 2
3 User 3
4 User 4

COMPANY:

ID COMPANY_NAME

1 Company 1
2 Company 2

SECURITY:

USERID COMPANY_ID

```
=====
1 1
1 2
2 1
3 2
4 1
4 2
```

Ok the application would know that if User 4 is pulling a list from the CUSTOMER table to show the customers for both companies. Likewise if User 2 preformed the same action they should only see customers from Company 1.

My question is how to I get this same functionality from say Query Analyzer?

"John Harbison" <JohnH@desertmicro.net> wrote in message news:eZH9VUcwEHA.3528@tk2msftngp13.phx.gbl...

- > *Is there a way to filter at the server level what data is returned to*
- > *clients by user? I know that I can create a user account and assign what*
- > *columns/tables the user account has access to, but what if I want them to*
- > *have full access to a table, but only certain records in that table. Any*
- > *ideas?*
- >
- >