

An existing connection was forcibly closed by the remote host

An existing connection was forcibly closed by the remote host

Source: <http://www.derkeiler.com/Newsgroups/microsoft.public.sqlserver.security/2006-06/msg00149.html>

- *From:* Philip <Philip@xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx>
 - *Date:* Mon, 19 Jun 2006 08:06:02 -0700
-

SQL 2005 server is using linked server for SQL 2000 and using login's current security context. User is accessing the stored proc from SQL 2005 which is using a table from the Linked Server (SQL 2000). I am getting the following errors, we are in NT domain.

Event code: 3005
Event message: An unhandled exception has occurred.
Event time: 6/15/2006 4:26:30 PM
Event time (UTC): 6/15/2006 8:26:30 PM
Event ID: 988964e6fa5249e38b1bc6c9a5ecd1e4
Event sequence: 850
Event occurrence: 7
Event detail code: 0

Application information:
Application domain: /LM/W3SVC/1/Root/MyApp-1-127948732130920720
Trust level: Full
Application Virtual Path: /MyApp
Application Path: C:\Inetpub\wwwroot\MyApp\
Machine name: MyServer

Process information:
Process ID: 352
Process name: w3wp.exe
Account name: NT AUTHORITY\NETWORK SERVICE

Exception information:
Exception type: SqlException
Exception message: TCP Provider: An existing connection was forcibly closed by the remote host.

Login failed for user 'NT AUTHORITY\ANONYMOUS LOGON'.

Request information:
Request URL: <http://MyServer/MyApp/Page1.aspx>
Request path: /MyServer/Page1.aspx
User host address: XX.XX.XXX.XX
User: DomainName/UserName

An existing connection was forcibly closed by the remote host

An existing connection was forcibly closed by the remote host

Is authenticated: True

Authentication Type: Negotiate

Thread account name: NT AUTHORITY\NETWORK SERVICE

Thread information:

Thread ID: 1

Thread account name: NT AUTHORITY\NETWORK SERVICE

Is impersonating: False

Stack trace: at

System.Data.SqlClient.SqlConnection.OnError(SqlException exception, Boolean
breakConnection)

at System.Data.SqlClient.SqlInternalConnection.OnError(SqlException
exception, Boolean breakConnection)

at

System.Data.SqlClient.TdsParser.ThrowExceptionAndWarning(TdsParserStateObject
stateObj)

at System.Data.SqlClient.TdsParser.Run(RunBehavior runBehavior,
SqlCommand cmdHandler, SqlDataReader dataStream, BulkCopySimpleResultSet
bulkCopyHandler, TdsParserStateObject stateObj)

at System.Data.SqlClient.SqlDataReader.ConsumeMetaData()

at System.Data.SqlClient.SqlDataReader.get_MetaData()

at System.Data.SqlClient.SqlCommand.FinishExecuteReader(SqlDataReader ds,
RunBehavior runBehavior, String resetOptionsString)

at System.Data.SqlClient.SqlCommand.RunExecuteReaderTds(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, Boolean async)

at System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String method,
DbAsyncResult result)

at System.Data.SqlClient.SqlCommand.RunExecuteReader(CommandBehavior
cmdBehavior, RunBehavior runBehavior, Boolean returnStream, String method)

at System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior
behavior, String method)

at System.Data.SqlClient.SqlCommand.ExecuteReader(CommandBehavior
behavior)

at

System.Data.Common.DbCommand.System.Data.IDbCommand.ExecuteReader(CommandBehavior
behavior)

at System.Data.Common.DbDataAdapter.FillInternal(DataSet dataset,
DataTable[] datatables, Int32 startRecord, Int32 maxRecords, String srcTable,
IDbCommand command, CommandBehavior behavior)

at System.Data.Common.DbDataAdapter.Fill(DataSet dataSet, Int32
startRecord, Int32 maxRecords, String srcTable, IDbCommand command,
CommandBehavior behavior)

at System.Data.Common.DbDataAdapter.Fill(DataSet dataSet, String srcTable)

at

System.Web.UI.WebControls.SqlDataSourceView.ExecuteSelect(DataSourceSelectArguments arguments)

at

System.Web.UI.DataSourceView.Select(DataSourceSelectArguments arguments)

arguments, DataSourceViewSelectCallback callback)

at System.Web.UI.WebControls.DataBoundControl.PerformSelect()

at System.Web.UI.WebControls.BaseDataBoundControl.DataBind()

at System.Web.UI.WebControls.GridView.DataBind()

at System.Web.UI.WebControls.GridView.DataBind()

An existing connection was forcibly closed by the remote host

An existing connection was forcibly closed by the remote host

```
at System.Web.UI.WebControls.BaseDataBoundControl.EnsureDataBound()  
at  
System.Web.UI.WebControls.CompositeDataBoundControl.CreateChildControls()  
at System.Web.UI.Control.EnsureChildControls()  
at System.Web.UI.Control.PreRenderRecursiveInternal()  
at System.Web.UI.Control.PreRenderRecursiveInternal()  
at System.Web.UI.Control.PreRenderRecursiveInternal()  
at System.Web.UI.Control.PreRenderRecursiveInternal()  
at System.Web.UI.Control.PreRenderRecursiveInternal()  
at System.Web.UI.Control.PreRenderRecursiveInternal()  
at System.Web.UI.Page.ProcessRequestMain(Boolean  
includeStagesBeforeAsyncPoint, Boolean includeStagesAfterAsyncPoint)
```