

Re: privilege timeout

Source: <http://www.derkeiler.com/Newsgroups/microsoft.public.win2000.security/2004-12/0552.html>

From: Ryan Hanisco (*rhanisco_at_flagshipis.com*)

Date: 12/29/04

Date: Wed, 29 Dec 2004 16:34:23 -0600

What you are trying to do is duplicate the functionality of a security or document management system. You can't expect the OS to do absolutely everything. You'll either need to write a program or invest in a DMS.

--

Ryan Hanisco

MCSE, MCDBA

Flagship Integration Services

"Doug Frisk" <PublicNews@removeme.fazwak.com> wrote in message
news:%23B5keod7EHA.1292@TK2MSFTNGP10.phx.gbl...

> "Chris" <Chris@discussions.microsoft.com> wrote in message

> news:FF2890B6-A2A3-4D7A-9419-C48EFA35B647@microsoft.com...

> > I am trying to configure a handful of Windows file servers to timeout
user

> > connections (like mapped drives) after a certain amount of idle time and

> > make

> > the user reauthenticate after that time is up. This is trying to

mitigate

> > the

> > problem where a user authenticates to a sensitive file server and then

> > walks

> > away from the computer. I do not want to have their computer

> > automatically

> > lock itself...I just want that session to the sensitive file server to

> > timeout and require reauthentication.

>

> I see no point in what you're attempting to accomplish. You can tweak the

> TCP parameters to cause the TCP session to time out, but when someone

> *anyone* sits down at the client and attempts to access that timed out

> session, the client will transparently reconnect using the same

credentials

> it had.

>

> Yes, *at the server* the client will be re-authenticated, but at the

client

> the cached credential information is still there.

>

>

>